
STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES

DIVISION OF OIL, GAS AND MINING														
APPLICATION FOR PERMIT TO DRILL										1. WELL NAME and NUMBER GMBU 1-26-9-15				
2. TYPE OF WORK DRILL NEW WELL REENTER P&A WELL DEEPEN WELL										3. FIELD OR WILDCAT MONUMENT BUTTE				
4. TYPE OF WELL Oil Well Coalbed Methane Well: NO										5. UNIT or COMMUNITIZATION AGREEMENT NAME GMBU (GRRV)				
6. NAME OF OPERATOR NEWFIELD PRODUCTION COMPANY										7. OPERATOR PHONE 435 646-4825				
8. ADDRES	S OF OPERATO	OR	Rt 3 Box 363	0 , Myt	on, UT, 84052				9. OPERATOR E-MAIL mcrozier@newfield.com					
10. MINER			11. MINERAL OWNERS	SHIP		12. SURFACE OWNERSHIP								
		UTU-66185			FEDERAL (III) INC	DIAN () STATE (0 0 0 0						
13. NAME OF SURFACE OWNER (if box 12 = 'fee')										14. SURFACE OWNER PHONE (if box 12 = 'fee')				
15. ADDRESS OF SURFACE OWNER (if box 12 = 'fee')									16. SURFACE OWNER E-MAIL (if box 12 = 'fee')					
17. INDIAN ALLOTTEE OR TRIBE NAME					18. INTEND TO COMMINGLE PRODUCTION FROM MULTIPLE FORMATIONS					19. SLANT				
(if box 12	= 'INDIAN')				YES (Submit Commingling Application) NO					VERTICAL DIRECTIONAL HORIZONTAL				
20. LOCA	20. LOCATION OF WELL FO				TAGES	Q.	TR-QTR	SECTION		TOWNSHIP	RANGE	ME	RIDIAN	
LOCATIO	N AT SURFACE		3:	57 FNL	. 596 FWL	1	WNW	25		9.0 S 15.0 E		s		
Top of Uppermost Producing Zone 499 FN				199 FNL	_ 35 FWL	1	WNW	2	25	9.0 S	15.0 E		S	
At Total Depth 660 FN				60 FNL	IL 660 FEL		NENE :		26	9.0 S	15.0 E		S	
21. COUN	TY	DUCHESNE		2	22. DISTANCE TO NEA	EASE LINE (F			23. NUMBER OF ACRES IN DRILLING UNIT 40					
						DISTANCE TO NEAREST WELL IN SAME POOL plied For Drilling or Completed) 1300				26. PROPOSED DEPTH MD: 6279 TVD: 6121				
27. ELEVATION - GROUND LEVEL					28. BOND NUMBER					29. SOURCE OF DRILLING WATER /				
6369					WYB000493					WATER RIGHTS APPROVAL NUMBER IF APPLICABLE 437478				
					Hole, Casing				1	_				
String Surf	Hole Size	Casing Size 8.625	0 - 300	Weig 24	_		Max Mu 8.3			Cement Class G	Sacks 138	1.17	Weight 15.8	
Prod	7.875	5.5	0 - 6279	15.			8.3			nium Lite High Strengtl		3.26	11.0	
										50/50 Poz	363	1.24	14.3	
ATTACHMENTS														
	VED	IEV THE FOLLOW	MING ARE A	TTACL	JED IN ACCORDAN	ICE WI	TU TUE UT	ALI OII A	ND CAS	CONSERVATION CEN	IEDAL DIU EC			
	VER	IFY THE FOLLO	WING ARE A	ITACE	1ED IN ACCORDAN	ICE WI	IH IHE UI	AH OIL A	AND GAS	CONSERVATION GEN	IEKAL KULES			
WELL PLAT OR MAP PREPARED BY LICENSED SURVEYOR OR ENGINEER							COMPLETE DRILLING PLAN							
AFFIDAVIT OF STATUS OF SURFACE OWNER AGREEMENT (IF FEE SURFACE)							FORM 5. IF OPERATOR IS OTHER THAN THE LEASE OWNER							
DIRECTIONAL SURVEY PLAN (IF DIRECTIONALLY OR HORIZONTALLY DRILLED)							TOPOGRAPHICAL MAP							
NAME Heather Calder TITI					TITLE Production Technician					PHONE 435 646-4936				
SIGNATURE					DATE 07/16/2014					EMAIL hcalder@newfield.com				
API NUMBER ASSIGNED 43013530550000					APPROVAL Permit Manager									

T9S, R15E, S.L.B.&M.



BASIS OF ELEV; Elevations are based on an N.G.S. OPUS Correction. LOCATION: LAT. 40°04'09.56" LONG. 110°00'43.28" (Tristate Aluminum Cap) Elev. 5281.57'

NAD 83 (SURFACE LOCATION)

LATITUDE = 40'00'29.51"
LONGITUDE = 110'11'16.33"

NAD 27 (SURFACE LOCATION)

LATITUDE = 40'00'29.65"
LONGITUDE = 110'11'13.78"

NEWFIELD EXPLORATION COMPANY

WELL LOCATION, 1-26-9-15, LOCATED AS SHOWN IN THE NW 1/4 NW 1/4 OF SECTION 25, T9S, R15E, S.L.B.&M. DUCHESNE COUNTY, UTAH.



NOTES:

- 1. Well footages are measured at right angles to the Section Lines.
- 2. Bearings are based on Global Positioning Satellite observations.



= SECTION CORNERS LOCATED

THIS IS TO CERTIFY THAT THE ABOVE PET WAS PREPARED FROM FIELD TO RESOFT ACTUM, SURVEYS MADE BY ME OR UNDER ANY SUPPRISON AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE WAS BOUND BOUND. 189377 OF STACY W.

REGISTER D LANS SURVEY REGISTRA ON NO. STATE OF STAKE

TRI STATE LAND SURVEYING & CONSULTING

180 NORTH VERNAL AVE. – VERNAL, UTAH 84078 (435) 781–2501

	(100) /01 2001	
DATE SURVEYED: 02-06-13	SURVEYED BY: Q.M.	VERSION:
DATE DRAWN: 03-05-13	DRAWN BY: F.T.M.	\/1
REVISED:	SCALF: $1" = 1000'$	V I

T9S, R15E, S.L.B.&M. Brass Cap S88°49'24"W - 2633.07' (Meas.) S89°08'24"W - 2642.52' (Meas.) 1910 660, 1910 Brass Cap Brass Cap S75°29'14"W 660 Bottom of Hole TARGET BOTTOM HOLE: (Meas. 1-26-9-15 52, 1910 5284. Brass Cap 26 VOO°47'42"W


1910

Brass Cap

NEWFIELD EXPLORATION COMPANY

TARGET BOTTOM HOLE, 1-26-9-15, LOCATED AS SHOWN IN THE NE 1/4 NE 1/4 OF SECTION 26, T9S, R15E, S.L.B.&M. DUCHESNE COUNTY, UTAH.

Top of Hole



NOTES:

- 1. Well footages are measured at right angles to the Section Lines.
- 2. Bearings are based on Global Positioning Satellite observations.

THIS IS TO CERTIFY THAT THE ABOVE PET WAS PREPARED FROM FIELD FOR SURVEYS MADE BY ME OR UNDER MY SUPPRESSION IN THAT THE SAME ARE TRUE AND STREET TO THE BEST OF MY KNOWLEDGE ON BEING, 189377 OF MY KNOWLEDGE OF M

ATE IAND SURVEYING & CONSULTION

TRI STATE LAND SURVEYING & CONSULTING 180 NORTH VERNAL AVE. — VERNAL, UTAH 84078

(435) 781-2501 YED: SURVEYED BY: 0 M

 DATE SURVEYED:
 SURVEYED BY: Q.M.
 VERSION:

 02-06-13
 DATE DRAWN:
 DRAWN BY: F.T.M.

 03-05-13
 REVISED:
 SCALE: 1" = 1000'

1910

Brass Cap

= SECTION CORNERS LOCATED

S89°10'26"W - 2641.89' (Meas.)

BASIS OF ELEV; Elevations are based on an N.G.S. OPUS Correction. LOCATION: LAT. 40°04'09.56" LONG. 110°00'43.28" (Tristate Aluminum Cap) Elev. 5281.57' NAD 83 (BOTTOM HOLE LOCATION)

LATITUDE = 40'00'26.49"

LONGITUDE = 110'11'32.47"

NAD 27 (BOTTOM HOLE LOCATION)

LATITUDE = 40'00'26.63"

LONGITUDE = 110'11'29.92"

1910

S89°05'59"W - 2634.34' (Meas.)

Brass Cap